



Ref: TPW/CFS/RP/LUD/WLWP-04/19 (Job 27198)

AMATHEMBA Environmental Management Consulting
PO Box 3420
TYGERVALLEY
7536

Attention: Ingrid Eggert

Dear Madam

NOTIFICATION OF AN APPLICATION FOR ENVIRONMENTAL AUTHORISATION AND THE AVAILABILITY OF THE DRAFT BASIC ASSESSMENT REPORT FOR COMMENT: THE PROPOSED WASTEWATER TREATMENT WORKS (WWTW) AND ASSOCIATED INFRASTRUCTURE FOR LACTALIS FACTORY IN BONNIEVALE, WESTERN CAPE: DEA&DP Pre-application Ref nr: 16/3/3/6/B1/4/1145/22

1. Your letter dated 30 August 2022 refers.
2. Cognisance is taken of the Basic Assessment Report dated August 2022.
3. This Branch offers no objection to the proposed project.
4. Please note that any proposed pipeline crossings of the R317 (Main Road 282) will require a wayleave approval by this Branch.
5. All required infrastructure must be placed outside of the 5m building line of Main Road 282.
6. The access at km 17.25 off Main Road 282 that will be used by trucks must be hard surfaced from the road edge up to the road reserve boundary.
7. Contact should be made with the District Engineer - Paarl (Mr E Smith, telephone 021 863 2020) to seek approval to undertake the works in the road reserve.

Yours Sincerely

SW CARSTENS

For DEPUTY DIRECTOR-GENERAL: ROADS

DATE: 23 SEPTEMBER 2022

ENDORSEMENTS

1. Applicant: Amathemba Environmental Consulting
Attention: I Eggert (e-mail: admin@inclover.co.za)
2. Mr E Smith (e-mail)
3. Paarl District Road Engineer
4. Mr SW Carstens (e-mail)
5. Mr F Fakier (e-mail)